Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	371	(378/125).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 09:11
L2	33	(378/126).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 09:11
L3	123	(378/127).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 09:11
L4	44	(378/129).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 09:11
L5	73	(378/131).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 09:11
L6	879	(310/211).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 09:11
L7	409	(310/265).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 09:11
L8	2770	(310/261).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 09:11
L9	175	(310/271).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 09:11

L10	142	(310/212).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 09:11
L11	1337	(310/216).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 09:11
L12	311	(310/85).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 09:11
L13	326	(310/86).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 09:11
L14	270	(L1 L2 L3 L4 L5 L6 L7 L8 L9 L10 L11 L12 L13) and ((armature core rotor) same steel same (magnetic ferro\$1magnetic) same ((rotor near can) canned sleeve sheet cover\$4 shield\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/04/13 09:54
L15	37	("1861059" "20010017493" "20020003382" "20020089243" "20020158521" "20030033709" "20030107290" "4095161" "4475051" "4638195" "4672253" "4758752" "4874975" "4933584" "4983867" "5034642" "5086245" "5173651" "5250867" "5306976" "5315192" "5386161" "5444316" "5523637" "5532531" "5757100" "5773908" "5801478" "5847479" "6160330" "6172438" "6329729" "6384503" "6462452" "6707209" "RE37576").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/13 09:51
L16	2	(L15) and ((armature core rotor) same steel same (magnetic ferro\$1magnetic) same ((rotor near can) canned sleeve sheet cover\$4 shield\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 09:52

L17	293	(L1 L2 L3 L4 L5 L6 L7 L8 L9 L10 L11 L12 L13) and ((armature core rotor) same steel same (magnetic ferro\$1magnetic) same ((rotor near can) canned sleeve sheet cover\$4 shield\$4 (squirrel near cage)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 09:57
L18	376	(L1 L2 L3 L4 L5 L6 L7 L8 L9 L10 L11 L12 L13) and ((armature core rotor) same steel same (magnetic ferro\$1magnetic) same ((rotor near can) canned sleeve sheet cover\$4 shield\$4 (squirrel near cage) slot\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 09:57
L19	192	(L1 L2 L3 L4 L5 L6 L7 L8 L9 L10 L11 L12 L13) and ((armature core rotor) same steel same (magnetic ferro\$1magnetic) same (((rotor near can) canned sleeve sheet cover\$4 shield\$4) and (squirrel near cage) slot\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 09:58

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L15	371	(378/125).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 15:38
L16	33	(378/126).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 15:38
L17	123	(378/127).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 15:38
L18	44	(378/129).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 15:38
L19	73	(378/131).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 15:38
L20	879	(310/211).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 15:38
L21	409	(310/265).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 15:38
L22	2770	(310/261).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 15:38
L23	175	(310/271).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 15:38

						:
L24	142	(310/212).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 15:38
L25	1337	(310/216).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 15:38
L26	311	(310/85).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 15:38
L27	326	(310/86).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 15:38
L28	32	(L15 L16 L17 L18 L19 L20 L21 L22 L23 L24 L25 L26 L27) and ((armature core rotor) same (stainless near steel) same (magnetic ferro\$1magnetic electro\$4magnetic) same (((rotor near can) canned sleeve sheet cover\$4 shield\$4) and (squirrel near cage) slot\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:18
L29	192	(L15 L16 L17 L18 L19 L20 L21 L22 L23 L24 L25 L26 L27) and ((armature core rotor) same steel same (magnetic ferro\$1magnetic) same (((rotor near can) canned sleeve sheet cover\$4 shield\$4) and (squirrel near cage) slot\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:18
L30	160	L29 not L28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:42